



The comprehensive effects of aluminum oxide nanoparticles on the physiology of freshwater microalga *Scenedesmus obliquus* and its phycoremediation performance for the removal of sulfacetamide

Hyun-Jo Ahn^a, Yongtae Ahn^a, Mayur B. Kurade^{a,*}, Swapnil M. Patil^a, Geon-Soo Ha^a, Paul O. Bankole^b, Moonis A. Khan^c, Soon Woong Chang^d, Magda H. Abdellattif^e, Krishna Kumar Yadav^f, Byong-Hun Jeon^{a,*}

^a Department of Earth Resources and Environmental Engineering, Hanyang University, Seoul, 04763, Republic of Korea

^b Department of Pure & Applied Botany, Federal University of Agriculture, Abeokuta, Ogun State, 110124, Nigeria

^c Chemistry Department, College of Science, King Saud University, Riyadh, 11451, Saudi Arabia

^d Department of Environmental Energy Engineering, Kyonggi University, Suwon, 16227, Republic of Korea

^e Department of Chemistry, College of Science, Taif University, Al-Hawiah, P. O. Box 11099, Taif, 21944, Saudi Arabia

^f Faculty of Science and Technology, Madhyanchal Professional University, Ratibad, Bhopal, 462044, India

ARTICLE INFO

Keywords:

Aluminum oxide nanoparticle
Microalgae
Sulfacetamide
Pharmaceutical contaminants
Biodegradation

ABSTRACT

Nanoparticles are inevitable byproducts of modern industry. However, the environmental impacts arising from industrial applications of nanoparticles are largely under-reported. This study evaluated the ecotoxicological effects of aluminum oxide nanoparticles ($\text{Al}_2\text{O}_3\text{NP}$) and its influence on sulfacetamide (SA) biodegradation by a freshwater microalga, *Scenedesmus obliquus*. Although $\text{Al}_2\text{O}_3\text{NP}$ showed limited toxicity effect on *S. obliquus*, we observed the toxicity attenuation aspect of $\text{Al}_2\text{O}_3\text{NP}$ in a mixture of sulfacetamide on microalgae. The addition of 100 mg L^{-1} of $\text{Al}_2\text{O}_3\text{NP}$ and 1 mg L^{-1} of SA reduced total chlorophyll by 23.3% and carotenoids by 21.6% in microalgal compared to control. The gene expression study demonstrated that *ATP6C*, *Lhcb1*, *HydA*, and *psbA* genes responsible for ATP synthesis and the photosynthetic system were significantly downregulated, while the *Tas* gene, which plays a major role in biodegradation of organic xenobiotic chemicals, was significantly upregulated at 1 and 100 mg L^{-1} of $\text{Al}_2\text{O}_3\text{NP}$. The *S. obliquus* removed 16.8% of SA at 15 mg L^{-1} in 14 days. However, the removal was slightly enhanced (18.8%) at same concentration of SA in the presence of 50 mg L^{-1} $\text{Al}_2\text{O}_3\text{NP}$. This result proves the stability of sulfacetamide biodegradation capacity of *S. obliquus* in the presence of $\text{Al}_2\text{O}_3\text{NP}$ co-contamination. The metabolic analysis showed that SA was degraded into simpler byproducts such as sulfacarbamide, sulfaguanidine, sulfanilamide, 4-(methyl sulfonyl)aniline, and N-hydroxy-benzenamine which have lower ecotoxicity than SA, demonstrating that the ecotoxicity of sulfacetamide has significantly decreased after the microalgal degradation, suggesting the environmental feasibility of microalgae-mediated wastewater technology. This study provides a deeper understanding of the impact of nanoparticles such as $\text{Al}_2\text{O}_3\text{NP}$ on aquatic ecosystems.

1. Introduction

Clean water is a vital resource for the sustainability of humankind. In recent times, the importance of securing safe water resources has been of great interest among researchers, stakeholders, and policy makers. Contamination of natural reservoirs by industrial processes and anthropogenic factors restricts access to clean and potable water.

Furthermore, newly emerging pollutants in water represent potential environmental threats (Schwarzenbach et al., 2006). These emerging contaminants (ECs) include pharmaceutical compounds, disinfectants, pesticides, personal care products, fragrances, surfactants, microplastics, and nanoparticles (Geissen et al., 2015; Viancelli et al., 2017).

Aluminum oxide is one of the most widely used nanoparticles (NPs) for various industrial applications, such as cosmetic fillers, adsorbents,

* Corresponding author.

** Corresponding author.

E-mail addresses: mayurkurade@hanyang.ac.kr (M.B. Kurade), bhjeon@hanyang.ac.kr (B.-H. Jeon).

<https://doi.org/10.1016/j.envres.2022.114314>

Received 31 May 2022; Received in revised form 2 September 2022; Accepted 7 September 2022

Available online 16 September 2022

0013-9351/© 2022 Elsevier Inc. All rights reserved.