

Results for Challenges, Reg... > ... > Results for Statistical analy... >

MENU

Statistical analysis, machine learning modeling, and text analytics of aggreg...

[Find it @ Hanyang](#)[Full text at publisher](#)[Export ▾](#)[Add To Marked List](#)

< 1 of 1 >

Statistical analysis, machine learning modeling, and text analytics of aggregation attachment efficiency: Mono and binary particle systems

By: [Gomez-Flores, A](#) (Gomez-Flores, Allan) ^[1]; [Bradford, SA](#) (Bradford, Scott A.) ^[2]; [Hong, GL](#) (Hong, Gilsang) ^[1]; [Kim, H](#) (Kim, Hyunjung) ^[1]

[View Web of Science ResearcherID and ORCID](#) (provided by Clarivate)

JOURNAL OF HAZARDOUS MATERIALS

Volume: 454

Article Number: 131482

DOI: 10.1016/j.jhazmat.2023.131482

Published: JUL 15 2023

Early Access: APR 2023

Indexed: 2023-05-28

Document Type: Article

Abstract:

The aggregation attachment efficiency (α) is the fraction of particle-particle collisions resulting in aggregation. Despite significant research, α predictions have not accounted for the full complexity of systems due to constraints imposed by particle types, dispersed matter, water chemistry, quantification methods, and modeling. Experimental α values are often case-specific, and simplified systems are used to rule out complexity. To address these challenges, statistical analysis was performed on α databases to identify gaps in current knowledge, and machine learning (ML) was used to predict α under various particle types and conditions. Moreover, text analytics was employed to support knowledge from statistics and ML, as well as gain insight into the ideas communicated by current literature. Most studies investigated α in mono-particle systems, but binary or higher systems require more investigation. Furthermore, our work highlights that numerous variables, interactions, and mechanisms influence α behavior, making its investigation complex and difficult for both experiments and modeling. Consequently, future research should incorporate more particle types, shapes, coatings, and surface heterogeneities, and